

EAST

L Number	Hits	Search Text	DB	Time stamp
-	828	service same sequence with (defin\$8 or accord\$8) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 12:50
-	52	service same sequence with (defin\$8 or accord\$8) same (verif\$8 or acknowledg\$8 or check\$5 or confirm\$8) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 12:58
-	615	(709/236).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 13:09
-	29	((709/236).CCLS.) and conductor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 13:13
-	20	((709/236).CCLS.) and message adj sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:18
-	2942	(709/202,206,237).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:19
-	158	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:22
-	83	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:25
-	0	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) same message and (data adj representation adj language)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:24
-	14	((709/202,206,237).CCLS.) and source same destination same (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) same message same (sequence or order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:33
-	569	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) same (sequence or order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:33
-	329	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:33

-	247	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:41
-	2	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and xml and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:34
-	4	control adj (information or instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and (data adj representation) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:36
-	34	control adj (instructions) with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 14:41
-	86	control adj messages with (verif\$8 or acknowledg\$8 or check\$8 or confirm\$8) with (sequence or order) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:36
-	5	middleware same sequence same messages and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:23
-	56	sequence adj5 messages adj5 defined	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:26
-	0	sequence adj5 messages adj5 defined with schema	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:26
-	0	sequence adj5 messages adj5 defined same schema	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:26
-	0	sequence adj5 messages adj5 determined with schema	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:30
-	0	sequence adj5 messages adj5 determined same source	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:30
-	0	sequence adj5 messages adj5 determined same client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:30
-	78	sequence adj5 messages adj5 determined	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:32

-	283	sequence near2 messages near6 pre\$1determined	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:32
-	9	sequence near2 messages near6 pre\$1determined same source	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:40
-	13	("4029950" "4071911" "4153998" "4387427" "4628478" "4827446" "4829445" "4901218" "5008842" "5060133" "5197011" "5198990" "5291416").PN.	USPAT	2004/01/06 17:38
-	3	6208904.URPN.	USPAT	2004/01/06 17:39
-	0	verif\$5 with communication adj policy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 11:51
-	22	data adj representation adj language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:18
-	431	(correct or proper) adj order with (message or instruction) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:20
-	60	(source or client or user) same (correct or proper) adj order with (message or instruction) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:20
-	22	(source or client or user) same (destination or server) same (correct or proper) adj order with (message or instruction) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:23
-	31	(source or client or user) same (correct or proper) adj order with (message or instruction) and @ad<20000509 not packet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/07 13:23
-	1780	(709/206).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:36
-	54	((709/206).CCLS.) and email same sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:53
-	129	email same sequence and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:53
-	8378	(709/201-207).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:53

-	87	((709/201-207).CCLS.) and email same sequence	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:54
-	22	((709/201-207).CCLS.) and email same sequence and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:55
-	1	((709/201-207).CCLS.) and transmission adj sequence with (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:56
-	1	((709/201-207).CCLS.) and transmission adj sequence same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 10:56
-	8	((709/201-207).CCLS.) and command adj sequence same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:07
-	7	((709/201-207).CCLS.) and instruction adj sequence same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:08
-	4	((709/201-207).CCLS.) and sequence adj2 command same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:09
-	7	((709/201-207).CCLS.) and sequence near2 transmitting same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:11
-	47	((709/201-207).CCLS.) and sequence near2 message same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:27
-	4	sequence with (defin\$5 or describ\$5) with (file or document or schema) same xml and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:17
-	5	((709/201-207).CCLS.) and sequence near2 transaction same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:30
-	1	((709/201-207).CCLS.) and sequence near2 download\$3 same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:32
-	11	((709/201-207).CCLS.) and sequence near2 execut\$5 same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 11:34

-	393	((709/201-207).CCLS.) and sequence same (verif\$5 or acknowledg\$5 or confirm\$5 or check\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 12:42
-	65	ordered adj set with messages	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 12:43
-	50	(ordered adj set with messages) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 12:55
-	330	message with out adj order and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 12:55
-	53	message with out adj order same (error or notif\$7) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 12:58
-	78	message with out adj order same (sequence) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 12:58
-	486	service adj advertisement	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:28
-	30757	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:18
-	91	((("709").CLAS.) and (service adj advertisement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:18
-	35	((("709").CLAS.) and (service adj advertisement)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:24
-	5	jini and palm and display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:24
-	1	((("709").CLAS.) and (service adj advertisement)) and (xml or sgml or html) and (description or represenation) adj language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:29
-	1	((("709").CLAS.) and (service adj advertisement)) and (xml or sgml or html) and (description or representation) adj language	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 14:29

-	2	("6,466,978").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/09 16:20
-	563	(client or user) with request with results with (stor\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:32
-	107	((client or user) with request with results with (stor\$5) and @ad<20000509) and ("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:26
-	126	(client or user) with request with results near2 (stor\$5) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:32
-	10	("709").CLAS.) and ((client or user) with request with results near2 (stor\$5) and @ad<20000509)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 11:39
-	16	server adj stores adj2 results and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:31
-	2	display adj (characteristics or capabilities) same schema and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:33
-	2	display adj (specification) same schema and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:37
-	2	("5878228").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/12 12:38